

HSPA INDUSTRIAL LIMITED is a leading manufacturer specializing in the production of high-quality
Hot tub and massage/Leisure products. Since its establishment, the company has always been committed to creating the most advanced and user-friendly spa products with a focus on bringing the ultimate spa experience to its ' customers.
Products range including Hot tub, Swimspa, Sauna room and Sanitary ware products , they are designed with the latest technology and are equipped with a range of features that provide users with a deep and relaxing massage. Our products are not only suitable for home use but also for commercial spas and resorts.
HSPA' s team has more than 10 years on the hot tub file,provide the best services like choose the right hot tubs, full shipping details and 24 hours technical services.

Email: info@h-spas.com

Phone:+86 13690510004

Website: www.h-spas.com

Room 1805, A1 Building, No.1 of DouTang Road, Huangpu District, Guangzhou City, Guangdong Province, China.

HSPA SPA MANUFACTURER

ONE OF CHINA LEADING ACRYLIC SPA TUB MANUFACTURER We Integrated outdoor spa, swim spa research, manufacturing, marketing and sales.

FACTORY ENVIRONMENT AND PRODUCTION PROCESS





PRODUCTION PROCESS



THERMOFORMING PROCESS



SHELL REINFORCEMENT



MANUAL CUTTING/POLISHING

ACCESSORY ASSEMBLY



HYDRAULIC/ELECTRIC TEST



CABINET ASSEMBLY



PACKING

FACTORY SHOWROOM AND FACTORY CERTIFICATE





Rosh







150

Nemko	WITH EUROPEAN DIRECTIVE
A sample of the following protoct to European standards referred selow	toor testal and is stated by Neriko 5 be inconformity with the applicable
Pretoni	876
Monufacturer	Guangsteu Maintong Industry CO. LTD 2/Hwrth:Dionglu Hoat, Datian Industrial Zone, Drangen Twen, Zongsheng District, Guangsbou Dina
Factory	Guergatou Huantong Industry DOL LTD 21North Zhongh Roed, Datas Industrial Zone, Shongan 1981, Zingothing Ulbrich, Isaangzhou Dana
Ratinger	5100W 40000. 0000W. 22+2+0V 00Hz
Trade mark	NA.
Model / Type Rid.	Zikoaxox Berles
Panopol storpostistics.	Date: Fe/S The Texastal in model names names in 2014 70141 70102 70467 7047 7047 7047 7047 7047 7047 7047 7047 7047 7047 7047 7047 7047 7047
A sample of the product was wated and found to be in committe with	EVIC: EVI 80 0 8014-1:621 EVIC: EVIC 8014-2:601 EVIC 6 0100-3:2016A1 EVIC 6 0100-3:2016A1 EVIC 0100-3:2016A1 EVIC 0100-3-11 at th EVIC 0100-3-11 at th
I HAR PORPORT HAR IND.	4640 12/1861
I may Remitive be presumed that the to Exception Directory excluding the television	and sample of the product is in confirmity with the both next provinces of the following month write, and with restoral fogulation replaced into the Directions.
- EMC Discles 2154/30EU	
	e registrements are satisfied, the nanodacture (or the Compson authorities EA Deservation of Conformity and affia the CE-marking to each conformino product fair and page(s)
Additional information	The protects are comply with EN (5014-1201) A11, EN 55914-2 (597-A) A2, E4 610(0-3-2:3014, EN 61000-3-32013 and EH 61004-3-11 2000 listed in Q2.
Tiyea Gim Contractor Jiyea Gim Calancer Tainage and the second	
Distantia and a second second second	orm official and a second s





AOC-LVD

SAA


HOME PARTY

HSPA relieves your sore muscles and tension, eliminating the stress of the day and promoting adeeper, more restful sleep.

The sleep. unique blend of air, water and heat makes lovia spa your best choice! It's not just a functional household item, it's stylish, beautiful design are also the important elements of your backyard/garden.



Communicating with family and friends in the most relaxing environment, enjoying the fun of the spa with friends, children at home.



feet.

PHYSICAL BENEFITS

With a personal Home Resort you can build a private sanctuary away from stresses of the day. HSPA spa takes you away with luxury hydrother-apy and designed to complement your lifestyle at a remarkable value to match any budget. Create a constant source of entertainment that you can enjoy with loved ones as you listen to music, watch your favorite programs and share to each other.

When it comes to treating sore muscle aches and relieve physical fatigue, no other spa manufacturer comes close to Lovia. Our spa seats, lounge strategically placed and varied jets produce energized streams of rhythmic pressure for best massage and treatment .All HSPA hot tub molds can deliver a full-body massage simply by moving from seat to seat .

Water buoyancy greatly relieves joints and muscles with constant pressure. According to the Arthritis Foundation, "Doctors often advise soaking warm water before your daily activities to help relieve the pain."Additionally.Warm water temporarily relieves stiffness and aches, increasing flexibility.

The heart of your home resort is the Hottub.Each hot tub is ergonomically designed to hug the natural contours ofyour body and rehabilitate key stress areas like the neck, back and




ADVANTAGES OF LOVIA SPA

1HSPA crafts

Al! HSPA spa supported by full aluminium frame ,each frame is constructed from a sturdy design of rails and cross-bracing which are secured by our experienced welder , as well as vertical support and angle bracing and all measurement of each aluminum rail have strict requirements to ensure spa shell precisely attached and appliances can be installed correctly and future maintainence.






②HSPASpa New ABS Base with Aluminium support inside



EachHSPA Spas with thickened design, stronger thermal insulation. The cylinder is not easily deformed, sturdy and durable.







Midnight Opal

Oyster Opal




HSPAspas are the most energy efficient spas on the market today, meaning substantially lower running costs than others.




Multiple Layers Shell Insulation

Unique 4 times 4 layers shell reinforcement technology, totally insulating every model with multiple layers of high density, Resin, Fiberglass and polyurethane foam, which reduce heat loss to a minimum.

4 Save Money With HSPA Energy Efficient Hot Tub







Full XPS Insulation Foam Base

Built with 2cm XPS thermal insulation board and Aluminum foil, full foam design insulates the spa completely to prevent heat escape, even in the coldest climate.

Full XPS Insulation Foam Cabinet Skirt

2cm XPS thermal insulation board surrounding the whole skirt Or 2cm XPS board with Aluminum foil combination for PS skirt, energy-efficient features that simultaneously provide you with lower operating costs and the best value over time.

Well-insulated Cover

100mm~140mm thick covers to ensure a custom -fit and tight seal to lock in warm air, a dense foam core with a high R-value for insulation, also features locking clips for safely securing your spa when not in use and protecting it from wind or extreme weather.



(5)Variety of new customized skirt cabinet and corner fashion but comfortable simple with light luxury, that is your dream backyard spa



Aluminum composite panel



Deluxe plastic panel



Aluminum composite panel



Deluxe plastic panel



Deluxe plastic panel



Finest plastic panel



Finest plastic panel



Finest plastic panel

OVERALL WELL-BEING

Unwind the tranquility night ,a SPA ,with therapeutic hot water raises your body temperature, water stream rhythmic massage your full body , blood circulation increases ,light music ...even 30 minutes makes you a completely relaxation.



MULTIPLE COLORS AVAILABLE

8 colors to choose from, brings you different visual enjoyment



Multiple choices,different enjoyment

Each HSPA spas hot tub is constructed with elegant and durable cabinet panel to protect your investment and add lasting sophistication to your Home Resort. The panel protect the spa equipment from the elements, but are easily removable if maintenance is required. Lovia spa also provide protection for the underside of your spa with a resilient bottom tray that serves to keep out rain, dirt and pests. Advantages to HSPA spa cabinets include:

CABINET DESIGNS



Perfectly designed Seats and Lounge Combination, The most comfortable seats ever The most suitable body shape jets layout







A WIDE SELECTION OF FASHION COLORS


8 colors to choose from, brings you different visual enjoyment



Multiple choices,different enjoyment

The HSPA Hot tub has the highest specifications combined with fantastic internal ergonomics and an aesthetically pleasing design. The Pola Hot tub is the essential ingredient for the best spa-party. You only need to add a bottle of bubbly Prosecco with some of your besties to get the party started.

CABINET DESIGNS



The most body-suitable jets layout

TheHSPA Hot tub is the essential ingredient for the b spa-party. You only need to add a bottle of bubbly P secco with some of your besties to get the party star

PRODUCT DETAIL PICTURE











CABINET DESIGNS

Newly customized Exclusive Merbau Cabinet straight and curved corner choices


Leather Brown | Elegant gray



Multiple choices,different enjoyment

We hired famous designer from the US to make this Series 6 years ago. The seatings' and jets' layout had been modified countless times to achieve the most comfortable effect.

CABINET DESIGNS



Exclusive natural customized merbau cabinet

The newly developed double-layer structure Base, adopts 10mm ABS bottom + EVA insulation foam to achievecomplete isolation and protect the inside of the spa



PRODUCT DETAIL PICTURE












THERE'S ALWAYS A COLOR FOR YOU


5 colors to choose from, brings you different visual enjoyment




Multiple choices,different enjoyment

Multiple size combinations to meet the size choices of all users, a variety of seat and lounges combinations, the most advanced interior space comfort, suitable for customers of all size; the most energy-saving equipment, streamlined piping design. Multifunctional massage combination, the jets can be arranged on different body parts such as shoulders, neck, back, arms, legs and so on. The advantages of the Geely series of spas include:

CABINET DESIGNS





PRODUCT DETAIL PICTURE











THE NEW HOT TUB

2 colors to choose from, the newly skirt two versions+LED transparent arc Angle, and equipped with the latest TP700 control panel and UV+Ozone combination system




Multiple choices, different enjoymen

CABINET DESIGNS

In 2024, HSPA latest jacuzzi, with multiple combinations of seats and lounge, offers the highest level of interior space comfort, suitable for customers of all body types; it is equipped with the latest control panel and ozone water purification system, bringing users better Massage experience; energy-saving equipment, streamlined pipes and wires, multi-functional massage combination, jets can be placed on different body parts such as shoulders, neck, back, arms, legs, etc.


















SPA COVER&SPA BAG




This design feature is the ability to get rid of SPA dependencies installed.

Spa Cover Details



Spa bag is specially designed for SPA Packing, there are cotton insulation inside, to avoid surface scratching during spa transport, and also can cover the whole spa, be with the sunscreen, dust-proof and heat preservation effects.



Can custom-made for the guests according to the graphics and size.



CONTROL SYSTEM&PANEL

Touch digital control panel

FEEL THE ULTIMATE EXPERIENCE



ITD display, wet water touch keys, lasting insulation, responsive











- Overheat Fault Detection for Runaway Pumps / Stuck Relays Expandable, Configurable. Supports Dozens of Spa Setups New Software with Color Graphics Wi-Fi Enabled Comprehensive Diagnostics
 - Multiple Languages

LIGHTING

LED-Lighting

These dramatic water fixtures create a tropical environment, transporting you to the exotic paradise of your imagination. Waterfalls come in classic cascade or vertical fountain styles and are specific to each series.LED lighting options also enhance the look and feel of any waterfall.Years of technical experience have enabled us to build better products.

Entertain in style

Take your spa experience beyond hydrotherapy and treat yoursenses to the fines tentertainment available.

For your evening spa soaks,LED lighting options can be found along the top perimeter of the spain theform of topside lighting and illuminated, valves and logos on some spas. Best of all, LED lighting can be programmed to alternate between each color on the color wheel or shine a particular hue to match your mood.









CLEANING SYSTEM

Circulation disinfection system




Updated configuration in 2022

UV+Ozone combination system


Advantages of ultraviolet light:

- 1. Can eliminate 99.99% of harmful bacteria
- 2. No secondary pollution
- 3. Low operation cost, simple operation and maintenance.



Ozone is a naturally ocurring substance in the Earth's atmosphere and features several purification qualities that have been used to clean air and water for centuries.Ozone is an importantelement of any clean water plan and isessential to keep your spa water cleanand pure for you and your family. The gentle properties of Ozone result absolutely no damage to your spaor iritation to skin-and eyes.





FILTING SYSTEM

Self cleaning system

The tinted reinforced end caps is antibacterial and prevents the growth of bacteria and moid.



This protection greatly prolongs the life of the cartridge structure and works to inhib it odor and filter clogging, for a healthier filtration system. Our super-strong center cores are the best in the business.

HSPA uses the best polyester filtration. And it's longer filter life and better water quality.

In fact, you can expect up to 33%6 better filtration than some other brands which may look the sameAnd our sharp pleat folds increase water flow rates while making cartridge cleaning easier.





ACCESSORIES IS INTRODUCED



Subwoofer



Cabinet and bottom insulation



Air Blower with jets



LED waerfall+control valve



Insulated cover



Spa bag



MP3 with Speaker(with bluetooth)



LED Cup holde



Rim LED Light



LED lights in pillow



LED lights in jets and valves




Aroma



Circulation pump



Step



LED light on side stairs



Step



LED fountain



Carbon Fiber corner



Cover lift

SHELL



6427 Silver White Marble

6811 6878 Ocean Wave Midnight Opal

6696 White Pearlescent

A VARIETY OF

HYDROTHERAPY

MASSAGE JETS




9814 Gypsum

CABINET



MULTIPLE COLOR SELECTION





H-M

TWE ALL WANT THE PERFECT BACKYARD, SOME-ERIES WHERE TO ESCAPE, RELAX AND UNWIND AFTER A LONG DAY.



FULL FOAM INSULATION SEALS



Jets to Hydro Hydrotherapy Jets(2.5")

Hydrotherapy Jets(3") Hydrotherapy Jets(5")

H-M301 Seating Capacity: Seating: 2 lounges & 1 seat



She	ell	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,CE	, KC approved)	
Jet pump	2*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Electi	rics	
Control system	Balboa BP6013G2 +TP600+3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	lpcs	
Jet Config	urations	
Jets total (pc)	68pcs	
Hydrotherapy Jets(1'')	8pcs	
Hydrotherapy Jets(2'')	18pcs	

30pcs

9pcs

3pcs



Dime	ensions	
Product dimension	2200*1560*880mm	
Dry weight	300 kg	
Filled weight(with water	r) 1500kg	
Fe	atures	
Diverter valve	2pcs	
Suction	3pcs	
Drainage outlet	lpcs	
Headrest pillows(pc)	2pcs	
Support frame	Aluminium(40mm*20mm)	
Skirt Aluminiu	um Pannel(10mm)+ABS Corner	
Shell insulation	2cm	
Base	ABS with EVA	
Filt	ration	
Filter	1pcs ;1*100sf	
UV sterilizer	1pcs	

H-M303 Seating Capacity: 🔼 Seating: 2 lounges



She

Elect

Pumpsou

Jet Confi

Shell colors

Jet pump

Control system

Power supply

Jets total (pc)

Underwater lighting

Hydrotherapy Jets(2.5")

Hydrotherapy Jets(3")

Hydrotherapy Jets(5")

Shell material



ell	Dimensions	
7 colors for options	Product dimension	2000*1300*820mm
US Aristech Acrylic	Dry weight	230kg
E, KC approved)	Filled weight(with water)	1230kg
1*2.5HP (two speed)(WP250-II)	Features	
rics	Air valve	lpcs
Balboa BP200 G2 + Touch 2T + 3kw heater	Drainage outlet	lpcs
220V/380V/110V	Headrest pillows(pc)	2pcs
1pcs	Support frame A	luminium(40mm*20mm)
gurations	Skirt Aluminium Pa	annel(10mm) + ABS Corne
33pcs	Shell insulation	2cm
	Base	ABS with EVA
21pcs 6pcs	Filtration	
6pcs	Filter	1pcs ;1*50sf
	UV sterilizer	1pcs



H-P805 Seating Capacity:

Seating: 2 lounge & 3 seats



She	ell
Shell colors	7 colors for options
Shell material	US Aristech Acrylic
Pumps(UL.CE	, KC approved)
let pump	1*3HP (LP300)
Circulation Pump	1*0.35HP (WTC50)
Elect	rics
Control system	Balboa BP200G2 +TP500S +3kw heater
Power supply	220V/380V/110V
Underwater lighting	lpcs
Jet Config	urations
lets total (pc)	31pcs
Hydrotherapy Jets(2")	20pcs
Hydrotherapy Jets(3.5")	5pcs
Hydrotherapy lets(5")	6pcs



Dimens	sions	
oduct dimension	1950*1950*820mm	
y weight	300 kg	
led weight(with water)	1500kg	
Featu	ires	
ction	2pcs	
ainage outlet	lpcs	
pport frame Al	Aluminium (40mm*20mm)	
irt Aluminium Par	nnel(10mm) +Corner(3mm)	
se	ABS with EVA	
ell insulation 2 cm		
adrest pillows(pc)	Spcs	
valve	2pcs	
Filtrat	ion	
ter	2pcs ;2*25sf	
/ sterilizer 1pcs		



Seating: 2 lounge & 3 seats





She	11	Dimen	sions
Shell colors	7 colors for options	Product dimension	2300*2300*880mm
Shell material	US Aristech Acrylic	Dry weight	410kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	2210kg
Jet pump	2*3HP (LP300)	Featu	ires
Circulation Pump	1*0.35HP (WTC50)	Suction	4pcs
Electr	ics	Drainage outlet	lpcs
Control system	Balboa BP6013G2 +TP600+3kw heater	Support frame Al	uminium (40mm*20mm)
Power supply	220V/380V/110V	Skirt Aluminium Pa	nnel(10mm) +Corner(3mm)
Underwater lighting	1pcs	Base	ABS with EVA
Jet Configu	Irations	Shell insulation	2 cm
Jets total (pc)	41pcs	Headrest pillows(pc)	3pcs
Hydrotherapy Jets(2")	26pcs	Air valve	2pcs
Hydrotherapy Jets(2.5")	6pcs	Filtrat	tion
Hydrotherapy Jets(3.5")	6pcs	Filter	2pcs ;2*25sf
Hydrotherapy Jets(5")	3pcs	UV sterilizer	lpcs

H-M501

Seating Capacity:

Seating: 2 lounges & 3 seat





Shel	I.	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,CE,	KC approved)	
Jet pump	3*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Electr	ics	
Control system	Balboa BP6013 G3 +TP600 +3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	lpcs	
Jet Config	urations	
Jets total (pc) 87pcs		
Hydrotherapy Jets(1")	10pcs	
Hydrotherapy Jets(2")	42pcs	
Hydrotherapy Jets(2.5")	18pcs	
Hydrotherapy Jets(3.5")	8pcs	
Hydrotherapy Jets(5")	9pcs	

Dir	nensions	
Product dimension	2200*2200*880mm	
Dry weight	410 kg	
Filled weight(with wa	ter) 2210kg	
F	eatures	
Suction	6pcs	
Drainage outlet 1pcs		
Headrest pillows(pc)	3pcs	
Support frame	Aluminium(40mm*20mm	
Skirt Alumir	inium Pannel(10mm)+ABS Corner	
Shell insulation	2cm	
Base ABS with EV		
Fi	Itration	
Filter	1pcs ;1*100sf	
UV sterilizer	lpcs	

H-M502 Seating Capacity: Seating: 2 lounges & 3 seats





Shell		Dime	ensions
Shell colors	7 colors for options	Product dimension	2200*2200*880mm
Shell material	US Aristech Acrylic	Dry weight	410kg
Pumps(UL,CE, K	C approved)	Filled weight(with water)) 2210kg
Jet pump	3*3HP (LP300)	Features	
Circulation Pump	1*0.35HP (WTC50)	Air valve	3pcs
Electri	cs	Suction	6pcs
Control system	Balboa BP6013 G3 +TP600 +3kw heater	Drainage outlet	1pcs
Power supply	220V/380V/110V	Headrest pillows(pc)	3pcs
Underwater lighting	lpcs	Support frame	Aluminium(40mm*20mm)
Jet Configu	irations	Skirt Aluminiu	m Pannel(10mm)+ABS Corne
Jets total (pc)	84pcs	Shell insulation	2cm
Hydrotherapy Jets(1")	22pcs	Base	ABS with EVA
Hydrotherapy Jets(2")	23pcs	Filtration	
Hydrotherapy Jets(2.5")	24pcs	Filter	1pcs ;2*50sf
Hydrotherapy Jets(3.5")	11pcs	UV sterilizer	lpcs
Hydrotherapy Jets(5")	4pcs		

H-M507

Seating Capacity: Seating: 1 lounges & 5 seat



She	41	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumpsoule	E, KC approved)	
Jet pump	2*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elect	trics	
Control system	Balboa BP6013G2 +Touch 2T+3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	1pcs	
Jet Confi	gurations	
Jets total (pc)	80pcs	
Hydrotherapy Jets(1")	22pcs	
Hydrotherapy Jets(2")	13pcs	
Hydrotherapy Jets(2.5")	32pcs	

10pcs

3pcs

Hydrotherapy Jets(3.5")

Hydrotherapy Jets(5")



Dime	ensions	
Product dimension	2300*2300*900mm	
Dry weight	410kg	
Filled weight(with water)	2210kg	
Fea	itures	
Air valve	3pcs	
Suction	4pcs	
Drainage outlet	lpcs	
Headrest pillows(pc)	3pcs	
Support frame	Aluminium(40mm*20mm)	
Skirt Aluminiu	inium Pannel(10mm)+ABS Corne	
Shell insulation	2cm	
Base	ABS with EVA	
Filtr	ration	
Filter	1pcs ;1*100sf	
UV sterilizer	lpcs	

H-M508 Seating Capacity:

Seating: 2 lounges & 3 seat



Shel	I	Dime	ensions
Shell colors	7 colors for options	Product dimension	2300*2300*900mm
Shell material	US Aristech Acrylic	Dry weight	410kg
Pumps(UL,CE, KC approved)		Filled weight(with water) 2210kg
Jet pump	3*3HP (LP300)	Features	
Circulation Pump	1*0.35HP (WTC50)	Air valve	3pcs
Electr	ics	Suction	брсs
Control system	Balboa BP6013 G3 +Touch 2T +3kw heater	Drainage outlet	lpcs
Power supply	220V/380V/110V	Headrest pillows(pc)	3pcs
Underwater lighting	1pcs	Support frame	Aluminium(40mm*20mm)
Jet Config	urations	Skirt Alumini	um Pannel(10mm)+ABS Corne
Jets total (pc)	88pcs	Shell insulation	2cm
Hydrotherapy Jets(1")	27pcs	Base	ABS with EVA
Hydrotherapy Jets(2")	23pcs	Filt	ration
Hydrotherapy Jets(2.5")	26pcs	Filter	1pcs ;1*100sf
Hydrotherapy Jets(3.5")	6pcs	UV sterilizer	lpcs
Hydrotherapy Jets(5")	6pcs		

Enrich your life and improve the health of your family.



Shel She

Circu

Cor

Und

Hydrotherapy Jets(1") Hydrotherapy Jets(2") Hydrotherapy Jets(2.5") Hydrotherapy Jets(3.5") Hydrotherapy Jets(5")

H-M509

Seating Capacity: Seating: 2 lounges & 3 seat



She	ell
II colors	7 colors for options
ll material	US Aristech Acrylic
Pumps(UL,C	E, KC approved)
pump	1*3HP (LP300)
ulation Pump	1*0.35HP (WTC50)
Elec	trics
trol system	Balboa BP200 G1 + Touch 2T+3kw heater
ver supply	220V/380V/110V
lerwater lighting	1pcs
Jet Conf	igurations
total (pc)	37pcs

28pcs

14pcs

8pcs

10pcs

5pcs

-		/
	Dimensi	ons
ons	Product dimension	2100*2100*
ylic	Dry weight	350 k
	Filled weight(with water)	1850k
)	Featur	es
50)	Air valve	3pcs
	Suction	2pcs
51 eater	Drainage outlet	lpcs
cater	Headrest pillows(pc)	Zore

Headrest pillows(p Support frame Aluminium(40mm*20 Aluminium Pannel(10mm)+ABS Corner Skirl Shell insulation 2cm ABS with EVA Filtration 1pcs ;1*50sf UV sterilizer

1pcs

H-M510 Seating Capacity:

Seating: 1 lounges & 5 seat





Shel	I	Dime	ensions
Shell colors	7 colors for options	Product dimension	2000*2000*900mm
Shell material	US Aristech Acrylic	Dry weight	300kg
Pumpsoulce	Pumps(UL,CE, KC approved)		r) 1600kg
Jet pump	D 1*3HP (LP300) Features		atures
Circulation Pump	1*0.35HP (WTC50)	Air valve 2pc	
Elect	rics	Suction	2pcs
Control system	Balboa BP200 G1 + Touch 2T+3kw heater	Drainage outlet	1pcs
Power supply	220V/380V/110V	Headrest pillows(pc)	3pcs
Underwater lighting	1pcs	Support frame Aluminium(40mm	
Jet Config	urations	Skirt Alumi	nium Pannel(10mm)+ABS Comer
Jets total (pc)	44pcs	Shell insulation	2cm
	14pcs	Base	ABS with EVA
Hydrotherapy Jets(2")		Filt	ration
Hydrotherapy Jets(2.5")	12pcs	Filter	1
Hydrotherapy Jets(3.5")	8pcs	C. Martin	1pcs ;1*50sf
Hydrotherapy Jets(5")	10pcs	UV sterilizer 1pcs	

H-M702







1pcs ;1*50sf

1pcs

She	I	Dimen	sions
Shell colors	7 colors for options	Product dimension	3800*2250*920mm
Shell material	US Aristech Acrylic	Dry weight	650kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	3650kg
Jet pump	3*3HP (LP300)	Feat	ires
Circulation Pump	1*0.35HP (WTC50)	Air valve	3pcs
Elect	rics	Suction	6pcs
Control system	Balboa BP6013 G3 + Touch 2T +3kw heater	Drainage outlet	lpcs
Power supply	220V/380V/110V	Headrest pillows(pc)	4pcs
Underwater lighting	lpcs	Support frame	Aluminium(40mm*20mm
Jet Config	urations	Skirt Aluminiu	im Pannel(10mm)+ABS Come
Jets total (pc)	103pcs	Shell insulation	2cm
Hydrotherapy Jets(1")	28pcs	Base	ABS with EVA
Hydrotherapy Jets(2")	17pcs	Filtra	tion

Filter

UV sterilizer

Hydrotherapy Jets(2") 17pcs Hydrotherapy Jets(2.5") 33pcs Hydrotherapy Jets(3.5") 17pcs Hydrotherapy Jets(5") 8pcs

-
spa-00



6970 OysterOpal







SHELL





6427 Silver White Marble

6811 6878 Ocean Wave Midnight Opal

6696 White Pearlescent



9814 Gypsum

CABINET

MULTIPLE COLOR SELECTION





H-P SERIES

THE MOST FASHIONABLE CABINET DESIGN



H-P801

Seating Capacity:

Seating: 2 lounges & 3 seat





H-P802							
Seating Capacity:	2	2	2	2	2	2	

Seating: 1 lounges & 5 seat





She	II	Dimer	nsions	
Shell colors	7 colors for options	Product dimension	2300*2300*880mm	
Shell material	US Aristech Acrylic	vlic Dry weight 410k		
Pumps(UL,CE, KC approved)		Filled weight(with water)	2210kg	
Jet pump	2*3HP (LP300)	Features		
Circulation Pump	1*0.35HP (WTC50) Suction		4pcs	
Electr	ics	Drainage outlet	lpcs	
Control system	Balboa BP6013 G2 +TP600+3kw heater			
Power supply	220V/380V/110V	Skirt Aluminium P	annel(10mm) + Corner(3mm	
Underwater lighting	1pcs	Base	ABS with EVA	
Jet Configu	irations	Shell insulation	2 cm	
Jets total (pc)	48pcs	Headrest pillows(pc)	3pcs	
Hydrotherapy Jets(2")	24pcs	Air valve	2pcs	
Hydrotherapy Jets(2.5")	12pcs	Filtra	ation	
Hydrotherapy Jets(3.5")	7pcs	Filter 1pcs ;1*100s		

She	ell	Dime	nsions
Shell colors	7 colors for options	Product dimension	2300*2300*880mm
Shell material	US Aristech Acrylic	Acrylic Dry weight 41	
Pumps(UL,CE	, KC approved)	Filled weight(with water)	2210kg
Jet pump	2*3HP (LP300)	Features	
Circulation Pump	1*0.35HP (WTC50)) Suction 4pcs	
Elect	rics	Drainage outlet	1pcs
Control system	Balboa BP6013G2 +TP600+3kw heater		
Power supply	220V/380V/110V	Skirt Aluminium Pannel(10mm) +Corne	
Underwater lighting	lpcs	Base ABS with EV	
Jet Config	urations	Shell insulation	2 cm
Jets total (pc)	40pcs	Headrest pillows(pc) 3pcs	
Hydrotherapy Jets(2")	22pcs	Air valve 2pcs	
Hydrotherapy Jets(2.5")	6pcs	Filtration	
Hydrotherapy Jets(3.5")	4pcs	Filter 1pcs ;1*50sf	

H-P803 Seating Capacity:

Seating: 2 lounges & 3 seats





Dimensions



Seating: 1 lounge & 5 seats





She	11	Dimen	sions
	7 colors for options	Product dimension	2100*2100*880mm
ial	US Aristech Acrylic	Dry weight	370 kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	1870kg
	1*3HP (LP300)	Featu	ires
Pump	1*0.35HP (WTC50)	Suction	2pcs
Electr	ics	Drainage outlet	lpcs
tem	Balboa BP200G2 +TP500S +3kw heater	Support frame A	luminium (40mm*20mm)
bly	220V/380V/110V	Skirt Aluminium Par	nnel(10mm) +Corner(3mm)
lighting	lpcs	Base	ABS with EVA
Jet Configu	urations	Shell insulation	2 cm
c)	35pcs	Headrest pillows(pc)	3pcs
		Air valve	2pcs
py Jets(2")	27pcs	Filtrat	ion
py Jets(3.5")	4pcs	riua	
py Jets(5")	4pcs	Filter	1pcs ;1*50sf
		UV sterilizer	lpcs

Sh	ell	1
Shell colors	7 colors for options	1
Shell material	US Aristech Acrylic	1
Pumpsouc	E, KC approved)	1
Jet pump	1*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elect	trics	1
Control system	Balboa BP200G2 +TP500S +3kw heater	-
Power supply	220V/380V/110V	-
Underwater lighting	lpcs	1
Jet Confid	urations	

Jet Configurations		
Jets total (pc)	36pcs	
Hydrotherapy Jets(2")	27pcs	
Hydrotherapy Jets(2.5")	2pcs	
Hydrotherapy Jets(3.5")	4pcs	
Hydrotherapy Jets(5")	3pcs	

The second second	
Product dimension	2100*2100*880mm
Dry weight	370 kg
illed weight(with water)	1870kg
Fea	itures
Suction	2pcs
Drainage outlet	1pcs
Support frame	Aluminium(40mm*20mm)
ikirt Aluminium	Pannel(10mm) +Corner(3mm)
lase	ABS with EVA
Shell insulation	2 cm
leadrest pillows(pc)	3pcs
Air valve	2pcs
Filtr	ation
Filter	1pcs ;2*50sf
JV sterilizer	lpcs

Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,C	E, KC approved)	
Jet pump	1*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elect	rics	
Control system	Balboa BP200G2 +TP500S +3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	lpcs	
Jet Config	jurations	
Jets total (pc)	35pcs	
Hydrotherapy Jets(2")	27pcs	
Hydrotherapy Jets(3.5")	4pcs	
Hydrotherapy Jets(5")	4pcs	

H-P808

Seating Capacity:

Seating: 5 seat





She	II.	
Shell colors	7 colors for options	Product
Shell material	US Aristech Acrylic	Dry wei
Pumps(UL,CE, I	KC approved)	Filled w
Jet pump	1*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	Suction
Electri	ics	Drainag
Control system	Balboa BP200G2	Suppor
Power supply	+ TP500S + 3kw heater 220V/380V/110V	Skirt
Underwater lighting	lpcs	Base
Jet Configu	irations	Shell in
	30pcs	Headre
Jets total (pc)		Air valv
Hydrotherapy Jets(1")	3pcs	
Hydrotherapy Jets(2")	13pcs	
Hydrotherapy Jets(2.5")	7pcs	Filter
Hydrotherapy Jets(3.5")	4pcs	UV ster

3pcs

Hydrotherapy Jets(5")

Din	nensions	
oduct dimension	2000*2000*820mm	
ry weight	300 kg	
led weight(with wate	er) 1600kg	
F	eatures	
uction	2pcs	
rainage outlet	lpcs	
upport frame	Aluminium(40mm*20mn	
tirt Aluminiu	ninium Pannel(10mm) + Corner(3mm)	
ise	ABS with EVA	
ell insulation	2 cm	
eadrest pillows(pc)	3pcs	
r valve	2pcs	
Fil	tration	
ter	1pcs ;1*100sf	
/ sterilizer	lpcs	

H-P809 Seating Capacity:

Seating: 2 lounges & 3 seats





Sh	ell	Dimens	ions
Shell colors	7 colors for options	Product dimension	2100*2100*820mm
Shell material	US Aristech Acrylic	Dry weight	300 kg
Pumps(UL,C	E, KC approved)	Filled weight(with water)	1600kg
Jet pump	1*3HP (LP300)	Featu	res
Circulation Pump	1*0.35HP (WTC50)	Suction	2pcs
Elect	rics	Drainage outlet	1pcs
Control system	Balboa BP200G2 +TP500S + 3kw heater	Support frame	Aluminium(40mm*20mm)
Power supply	220V/380V/110V	Skirt Aluminium Pa	annel(10mm) +Comer(3mm
Underwater lighting	lpcs	Base	ABS with EVA
Jet Config	urations	Shell insulation	2 cm
		Headrest pillows(pc)	3pcs
Jets total (pc)	30pcs	Air valve	2pcs
		Filtrat	ion
		Filter	2pcs ;2*25sf
		UV sterilizer	1pcs

H-P810

Seating Capacity:

Seating: 1 lounges & 5 seat



Hydrotherapy Jets(5")



She	ell		Dimensions
Shell colors	7 colors for options	Product dimension	2300*2300*880mm
Shell material	US Aristech Acrylic	Dry weight	410 kg
Pumps(UL,CE	, KC approved)	Filled weight(with v	vater) 2210kg
Jet pump	2*3HP (LP300)		Features
Circulation Pump	1*0.35HP (WTC50)	Suction	4pcs
Elect	rics	Drainage outlet	lpcs
Control system	Balboa BP6013G2 +TP600+3kw heater	Support frame	Aluminium(40mm*20mm)
Power supply	220V/380V/110V	Skirt Alumi	nium Pannel(10mm) +Corner(3mm)
Underwater lighting	lpcs	Base	ABS with EVA
Jet Config	urations	Headrest pillows(po	c) 4pcs
Jets total (pc)	55pcs	Air valve	2pcs
Hydrotherapy Jets(2")	25pcs		Filtration
Hydrotherapy Jets(2.5")	13pcs	Filter	2pcs ;2*50sf
Hydrotherapy Jets(3.5")	13pcs	UV sterilizer	lpcs

4pcs

SHELL



CABINET



Reddish Brown

MULTIPLE COLOR SELECTION





H-G SERIES

EACH LOVIA MODEL BOASTS IMPRESSIVE FEATURES THAT ARE BUILT WITH YOUR ENJOYMENT IN MIND.



H-G7008

Seating Capacity:



Shel	I	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,CE,	KC approved)	
Jet pump 2*3HP (LP3		
Circulation Pump	1*0.35HP (WTC50)	
Electr	ics	
Control system	Balboa BP6013G2 +TP600+3kw heate	
Power supply	220V/380V/110V	
Underwater lighting	lpcs	
Jet Config	urations	
Jets total (pc)	49pcs	
Hydrotherapy Jets(1")	26pcs	
Hydrotherapy Jets(2.5")	12pcs	
Hydrotherapy Jets(3")	6pcs	

Hydrotherapy Jets(4")



Dime	ensions
oduct dimension	2180*2180*900mm
ry weight	380 kg
led weight(with water) 1980kg
Fea	atures
iction	3pcs
ainage outlet	lpcs
eadrest pillows(pc)	3pcs
ipport frame	Aluminium(40mm*20mm)
irt	PS(optional colors)
ise	ABS with EVA
Filt	ration
ter	1pcs :1*100sf
/ sterilizer	lpcs





Shel		Dimen	sions
oner	•		
Shell colors	7 colors for options	Product dimension	2180*1580*850m
Shell material	US Aristech Acrylic	Dry weight	260kg
Pumps(ULCE, KC approved)		Filled weight(with water)	1360kg
Jet pump 1*3HP (LP300)		Feat	ures
Circulation Pump	1*0.35HP (WTC50)	Suction	2pcs
Electrics		Drainage outlet	1pcs
Control system	Balboa BP200G2 +TP5005 +3kw heater	Headrest pillows(pc)	3pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*20
Underwater lighting	1pcs	Skirt	PS(optional color
Jet Configurations		Base	ABS with EVA
Jets total (pc)	29pcs	Diverter valve	lpcs
a har a start a		Shell insulation	2 cm
Hydrotherapy Jets(1")	4pcs	Top mount filter	lpcs
Hydrotherapy Jets(2.5")	15pcs		Garre
Hydrotherapy Jets(3")	4pcs	Filtra	tion
Hydrotherapy Jets(4")	fore	UV sterilizer	lpcs

H-G7022 Seating Capacity: Seating: 1 lounges & 4 seat





Dimensions

H-G7030	
Seating Capacity:	222

Seating: 1 lounges & 2 seat





Sh	ell	
Shell colors	7 colors for options	Pre
Shell material	US Aristech Acrylic	Dr
Pumps(UL,CE, KC approved)		Fil
Jet pump	1*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	Su
Elec	trics	Dr
Control system	Balboa BP200G2 +TP500S +3kw heater	Pil
Power supply	220V/380V/110V	Su
Underwater lighting	1pcs	Sk
Jet Confi	gurations	Ba
Jets total (pc)	42pcs	Di
the second start	aches	Ch

Product dimension	2180*2180*900mm
Dry weight	380 kg
illed weight(with water)	1980kg
Fea	tures
Juction	2pcs
Drainage outlet	lpcs
Pillow	3pcs
Support frame	Aluminium(40mm*20mm)
ikirt	PS(optional colors)
lase	ABS with EVA
Diverter valve	2pcs
ihell insulation	2cm
kir valve	lpcs
Filtr	ation
ilter	1pcs ;1*100sf
JV sterilizer	lpcs

Sh	ell	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumpstulic	E, KC approved)	
Jet pump	2*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elect	trics	
Control system	Balboa BP6013G2 +TP600 +3kw heate	
Power supply	220V/380V/110	
Underwater lighting	lpcs	
Jet Confi	gurations	
Jets total (pc)	58pcs	


Dimensions		
Product dimension	2080*1750*890mm	
Dry weight	290 kg	
Filled weight(with water)	1490kg	
Featu	ures	
Suction	3pcs	
Drainage outlet	1pcs	
Pillow	3pcs	
Support frame	Aluminium(40mm*20mm	
Skirt	PS(optional colors)	
Base	ABS with EVA	
Diverter valve	lpcs	
Shell insulation	2 cm	
Air valve	2pcs	
Filtra	tion	
Filter	1pcs ;1*100sf	
UV sterilizer	lpcs	

H-G7032

Seating Capacity: Seating: 1 lounges & 4 seat



She	ell	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,C	E, KC approved)	
Jet pump	1*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elect	trics	
Control system	Balboa BP200G2 +TP500S +3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	1pcs	
Jet Confi	gurations	
Jets total (pc)	45pcs	



Dimen	sions
Product dimension	2200*2200*880mm
Dry weight	380 kg
Filled weight(with water)	1980kg
Feat	ures
Suction	2pcs
Drainage outlet	lpcs
Pillow	3pcs
Support frame	Aluminium(40mm*20mm
Skirt	PS(optional colors)
Base	ABS with EVA
Diverter valve	1pcs
Shell insulation	2cm
Air valve	2pcs
Filtra	tion
Filter	1pcs ;1*100sf
UV sterilizer	lpcs



Seating: 1 lounges & 5 seat



She	ell	Dimen	sions
Shell colors	7 colors for options	Product dimension	2000*2000*840mm
Shell material	US Aristech Acrylic	Dry weight	300kg
Pumps(ULC	E, KC approved)	Filled weight(with water)	1600kg
Jet pump	1*3HP (LP300)	Feat	ures
Circulation Pump	1*0.35HP (WTC50)	Suction	2pcs
Elect	trics	Drainage outlet	1pcs
Control system	Balboa BP200G2 +TP500S +3kw heater	Pillow	2pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*20mm
Underwater lighting	lpcs	Skirt	PS(optional colors)
Jet Config	gurations	Base	ABS with EVA
Jets total (pc)	39pcs	Shell insulation	2cm
see to car (pay	- the	Air valve	2pcs
		Diverter valve	1pcs
		Filtra	tion
		Filter	1pcs ;1*100sf
		UV sterilizer	1pcs

H-G7103 Seating Capacity: Seating: 4 seat







Seating: 4 seat





ell	
7 colors for options	Product d
US Aristech Acrylic	Dry weigh
KC approved)	Filled weig
1*3HP (LP300)	
1*0.35HP (WTC50)	Suction
rics	Drainage
Balboa BP200G2 + TP500S + 3kw heater	Headrest
220V/380V/110V	Support f
1pcs	Skirt
urations	Base
32pcs	Air valve
17pcs	Shell insu
2pcs	
2pcs	Filter
9pcs	UV steriliz
	T colors for options US Aristech Acrylic US Aristech Acrylic I*3HP (LP300) I*0.35HP (WTC50) I*0.35HP (WTC50)

Dim	ensions
roduct dimension	2000*1550*810mm
Dry weight	240kg
illed weight(with wate	er) 1240kg
Fe	atures
uction	2pcs
Prainage outlet	1pcs
leadrest pillows(pc)	lpcs
upport frame	Aluminium(40mm*20mm)
kirt	PS(optional colors)
lase	ABS with EVA
ur valve	lpcs
hell insulation	2cm
Filt	ration
ilter	1pcs ;1*100sf
JV sterilizer	lpcs

	Shell	
Shell colors	7 colors for options	Product di
Shell material	US Aristech Acrylic	Dry weight
Pumps(U	L,CE, KC approved)	Filled weig
Jet pump	1*2.5HP Two speed(WP250-II)	
E	ectrics	Drainage o
Control system	Balboa BP200G2 +TP500S +3kw heater	Support fra
Power supply	220V/380V/110V	Skirt
Underwater lighting	1pcs	Base
Jet Cor	figurations	Air valve
Jets total (pc)	16pcs	Shell insula
		Filter

Din	nensions
Product dimension	1810*1810*770mm
Dry weight	230kg
Filled weight(with wat	er) 1130kg
F	eatures
Drainage outlet	lpcs
Support frame	Aluminium(40mm*20mm)
Skirt	PS(optional colors)
Base	ABS with EVA
Air valve	1pcs
Shell insulation	2cm
Fil	Itration

Filter	1pcs ;1*100sf	
UV sterilizer	1pcs	

PRECISELY MADE, HEALTH AND WELLNESS YOUR WAY

0000

.....

1.00 A.

H-G7106 Seating Capacity: Seating: 1 lounges & 2 seat





Dimensions

Sh	ell
Shell colors	7 colors for options
Shell material	US Aristech Acrylic
Pumps(UL,CE	, KC approved)
Jet pump 1*2.5HP Two speed(WP250	
Elect	trics
Control system	Balboa BP200G2 +TP500S +3kw heater
Power supply	220V/380V/110V
Underwater lighting	lpcs
Jet Confi	gurations
Jets total (pc)	26pcs
Hydrotherapy Jets(1'')	20pcs
Hydrotherapy Jets(2.5")	6pcs

Dimens	sions	
Product dimension	1800*1640*800mm	
Dry weight	210 kg	
Filled weight(with water)	1110kg	
Featu	ires	
Suction	lpcs	
Drainage outlet	lpcs	
Air valve	lpcs	
Support frame A	luminium(40mm*20mm)	
Skirt	PS(optional colors)	
Base	ABS with EVA	
Shell insulation	2 cm	
Filtrat	tion	
Filter	1pcs ;1*50sf	
UV sterilizer	1pcs	

H-G7025 Seating Capacity:

Seating: 5 seat





Shell		Dime	nsions
Shell colors	7 colors for options	Product dimension	1900*1900*980mm
Shell material	US Aristech Acrylic	Dry weight	330 kg
Pumps(UL,CE, K	C approved)	Filled weight(with water) 1930kg
Jet pump	1*3HP (LP300)	Fea	tures
Circulation Pump	1*0.35HP (WTC50)	Suction	Spcs
Electrics		Drainage outlet	lpcs
Control system	Balboa BP200G2 +TP500S +3kw heater	Support frame	Solid Antiseptic wood
Power supply	220V/380V/110V	Skirt	PS(optional colors)
Underwater lighting	1pcs	Base	ABS with PVC
Jet Config	urations	Shell insulation	2 cm
Jets total (pc)	19pcs	Filtr	ation
Hydrotherapy Jets(2.5")	13pcs	Filter	1pcs ;1*50sf(floating filter)
Hydrotherapy Jets(3")	3pcs	UV sterilizer	lpcs
Hydrotherapy Jets(4")	2pcs		
Hydrotherapy Jets(5")	1pcs		

H-G7026

Seating Capacity:

Seating: 5 seat





Shell		Dimensions	
Shell colors	7 colors for options	Product dimension	2250*2250*880mm
Shell material	US Aristech Acrylic	Dry weight	390kg
Pumps (UL,C	E, KC approved)	Filled weight(with water) 2090kg
Jet pump 2*3HP (LP300)		Fea	itures
Circulation Pump	1*0.35HP (WTC50)	Suction	5pcs
Electrics		Drainage outlet	lpcs
Control system	Balboa BP6013G2 +TP600+3kw heater	Support frame	Aluminium(40mm*20mm)
Power supply	220V/380V/110V	Skirt	PS(optional colors)
Underwater lighting	lpcs	Base	ABS with EVA
Jet Configurations		Shell insulation	2 cm
Jets total (pc)	54pcs	Top mount filter	lpcs
Hydrotherapy Jets(1")	Spcs	Air valve	3pcs
Hydrotherapy Jets(2")	23pcs	Filtra	ation
Hydrotherapy Jets(2.5'')	16pcs	UV sterilizer	1pcs
Hydrotherapy Jets(3')	10pcs		


SHELL



6970 OysterOpal

9814 Gypsum

CABINET



Grey Co

Coffee

6696 White Pearlescent

MULTIPLE COLOR SELECTION



H-I SERIES

THE MOST FASHIONABLE CABINET DESIGN



H-I6001 -Seating Capacity:

Seating: 2 lounges & 3 seat





H-16002 Seating Capacity:

1 lounges & 5 seats





She	ell (
Shell colors	7 colors for options	Pro
Shell material	US Aristech Acrylic	Dry
Pumps(UL,CE, I	KC approved)	Fille
Jet pump	2*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	Suc
Electr	rics	Dra
Control system	Balboa BP6013G2 +TP600+3kw heater	Hea
Power supply	220V/380V/110V	Sup
Underwater lighting	lpcs	Ski
Jet Configurations		
Jets total (pc)	58pcs	
Hydrotherapy Jets(2")	42pcs	Filt
Hydrotherapy Jets(2.5")	4pcs	UV

8pcs

Hydrotherapy Jets(3"

Hydrotherapy Jets(4")

Dimensions		
Product dimension	2300*2300*880mm	
Dry weight	390 kg	
Filled weight(with water)	2190kg	
Features		
Suction	4pcs	
Drainage outlet	lpcs	
Headrest pillows(pc)	3pcs	
Support frame	Aluminium(40mm*20mn	
Skirt	ABS Corner+NEW PS	
Base	ABS with EVA	
Filtr	ation	
Filter	1pcs ;1*100sf	
UV sterilizer	lpcs	

She	41
Shell colors	7 colors for options
Shell material	US Aristech Acrylic
Pumps(UL,CE, I	KC approved)
Jet pump	2*3HP(LP300)
Circulation Pump	1*0.35HP(WTC50)
Electr	ics
Control system	Balboa BP6013G2 +TP600+3kw heater
Power supply	220V/380V/110V
Underwater lighting	1pcs
Jet Config	urations
Jets total (pc)	60pcs
Hydrotherapy Jets(2")	42pcs
Hydrotherapy Jets(2.5")	брсs
Hydrotherapy Jets(3")	4pcs
Hydrotherapy Jets(4")	8pcs

Dimen	sions	
Product dimension	2300*2300*880mm	
Dry weight	390 kg	
Filled weight(with water)	2200kg	
Featu	ires	
Suction	4pcs	
Drainage outlet	lpcs	
Headrest pillows(pc)	3pcs	
Support frame	Aluminium(40mm*20mm)	
Skirt	ABS Corner+NEW PS	
Base	ABS with EVA	
Filtrat	tion	
Filter	1pcs ;1*100sf	
UV sterilizer	1pcs	

H-16003

Seating Capacity: Seating: 2 lounges & 3 seat





Shel	1	
Shell colors	7 colors for options	P
Shell material	US Aristech Acrylic	
Pumps(UL,CE,	KC approved)	F
Jet pump	2*3HP(LP300)	
Circulation Pump	1*0.35HP(WTC50)	5
Electr	rics	C
Control system	Balboa BP6013G2 +TP600+3kw heater	ł
Power supply	220V/380V/110V	5
Underwater lighting	lpcs	S
Jet Config	urations	E
Jets total (pc)	52pcs	
Hydrotherapy Jets(2")	44pcs	1
Hydrotherapy Jets(3")	2pcs	1

6pcs

Hydrotherapy Jets(4")

Dime	ensions
Product dimension	2100*2100*880mm
Dry weight	350 kg
Filled weight(with water) 1850kg
Fea	atures
Suction	4pcs
Drainage outlet	1pcs
Headrest pillows(pc)	3pcs
Support frame	Aluminium(40mm*20mm)
Skirt	NEW PS
Base	ABS with EVA
Filt	ration
Filter	1pcs ;1*100sf
UV sterilizer	lpcs

H-16004 Seating Capacity: Seating: 1 lounges & 5 seat



Hydrotherapy Jets(3")

Hydrotherapy Jets(4")



She	ell	Dimer	nsions
hell colors	7 colors for options	Product dimension	2100*2
hell material	US Aristech Acrylic	Dry weight	3
Pumps(UL,CE	, KC approved)	Filled weight(with water)	1
et pump	2*3HP(LP300)	Feat	tures
irculation Pump	1*0.35HP(WTC50)	Suction	
Elec	trics	Drainage outlet	
ontrol system	Balboa BP6013G2 +TP600+3kw heater	Headrest pillows(pc)	
ower supply	220V/380V/110V	Support frame	Aluminium(4
Inderwater lighting	lpcs	Skirt	N
Jet Confid	gurations	Base	ABS
ets total (pc)	48pcs	Filtra	ation
lydrotherapy Jets(2")	40pcs	Filter	1pcs
	2.0254630077		

Dimer	isions
t dimension	2100*2100*880mm
ight	350 kg
eight(with water)	1850kg
Feat	ures
n	4pcs
ge outlet	lpcs
est pillows(pc)	3pcs
rt frame	Aluminium(40mm*20mm)
	NEW PS
	ABS with EVA
Filtra	ition
	1pcs ;1*100sf
erilizer	lpcs



A range of customizable LEDs can improve your experience dramatically. It doesn't matter if you're resting after a workout, having a romantic evening with a special someone, or even throwing a house party, lighting can help make your hot tub the perfect space for the occasion.

AN TUNA

0 0

H-I6005 Seating Capacity: Seating: 2 lounges & 3 seat





H-16006 Seating Capacity:

Seating: 2 lounges & 3 seat





Sh	ell	Din	nension
Shell colors	7 colors for options	Product dimension	2
Shell material	US Aristech Acrylic	Dry weight	
Pumps(UL,C	E, KC approved)	Filled weight(with wat	ter)
Jet pump	1*3HP(LP300) Fe		eatures
Circulation Pump	1*0.35HP(WTC50)	Suction	
Elec	trics	Drainage outlet	
Control system	Balboa BP200G2 +TP500S+3kw heater	Headrest pillows(pc)	
Power supply	220V/380V/110V	Support frame	Alum
Underwater lighting	1pcs	Skirt	
Jet Confi	gurations	Base	
Jets total (pc)	34pcs	Fi	Itration
Hydrotherapy Jets(2")	26pcs	Filter	
Hydrotherapy Jets(3")	брсз	UV sterilizer	
Hydrotherapy Jets(4")	2pcs		

Dime	nsions
Product dimension	2000*2000*820mm
Dry weight	300 kg
Filled weight(with water) 1600kg
Fea	tures
Suction	3pcs
Drainage outlet	1pcs
Headrest pillows(pc)	3pcs
Support frame	Aluminium(40mm*20mm)
Skirt	NEW PS
Base	ABS with EVA
Filtr	ation
Filter	1pcs ;1*100sf
UV sterilizer	lpcs

Shell		Dimensions	
Shell colors	7 colors for options	Product dimension	2000*2000*820mm
Shell material	US Aristech Acrylic	Dry weight	300 kg
Pumps(UL,CE	, KC approved)	Filled weight(with water)	1600kg
let pump 1*3HP(LP300)		Featu	ires
Circulation Pump	1*0.35HP(WTC50)	Suction	3pcs
Elec	trics	Drainage outlet	1pcs
Control system	Balboa BP200G2+ TP500S+3kw heater	Headrest pillows(pc)	3pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*20mm)
Underwater lighting	1pcs	Skirt	NEW PS
Jet Confi	gurations	Base	ABS with EVA
lets total (pc) 33pcs		Filtration	
Hydrotherapy Jets(2")	23pcs	Filter	1pcs ;1*100sf
Hydrotherapy Jets(3")	8pcs	UV sterilizer	1pcs
Hydrotherapy Jets(4")	2pcs		

H-16008 Seating Capacity: 🔽 🎴 💄 Seating: 2 lounges & 1 seat





Dimensions

Shell				
Shell colors	7 colors for options			
Shell material	US Aristech Acrylic			
Pumps(UL,CE, KC approved)				
Jet pump	1*3HP (LP300)			
Circulation Pump	1*0.35HP (WTC50)			
Electrics				
Control system	Balboa BP200G2 +TP500S+3kw heater			
Power supply	220V/380V/110V			
Underwater lighting	lpcs			
Jet Conf	igurations			
Jets total (pc)	36pcs			

2pcs

28pcs

2pcs

4pcs

Hydrotherapy Jets(1")

Hydrotherapy Jets(2")

Hydrotherapy Jets(4")

Hydrotherapy Jets(5")

Product dimension	2100*1700*880mm	
Dry weight	330kg	
illed weight(with water) 1430kg	
Fea	itures	
Suction	2pcs	
Drainage outlet	lpcs	
Headrest pillows(pc)	3pcs	
Support frame	Aluminium(40mm*20mm	
Skirt	NEW PS	
Base	ABS with EVA	
Filt	ration	
Filter	1pcs ;1*100sf	
UV sterilizer	lpcs	


H-16009 Seating Capacity: Seating: 2 lounge & 1 seats





Shell		Dimensions	
Shell colors	7 colors for options	Product dimension	2100*1700*820mm
Shell material	US Aristech Acrylic	Dry weight	280 kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	1600kg
Jet pump	1*3HP (LP300)	Feat	tures
Circulation Pump	1*0.35HP (WTC50)	Suction	3pcs
Elect	rics	Drainage outlet	1pcs
Control system	Balboa BP200G2 + TP500S +3kw beater	Headrest pillows(pc)	3pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*20mm)
Underwater lighting	1pcs	Skirt	NEW PS
Jet Config	urations	Base	ABS with EVA
Jets total (pc)	20	Air valve	2pcs
Hydrotherapy Jets(1")	30pcs 6pcs	Shell insulation	2cm
Hydrotherapy Jets(2")	11pcs	Filtra	ntion
Hydrotherapy Jets(2.5")	2pcs	Filter	1pcs ;1*50sf
Hydrotherapy Jets(3.5")	7pcs	UV sterilizer	lpcs
Hydrotherapy Jets(5")	4pcs		

SHELL



6427 Silver White Marble

6811 6878 Ocean Wave Midnight Opal



9814

6970 **OvsterOpal**

6696 White Pearlescent Gypsum

CABINET



Coffee

Grey

MULTIPLE COLOR SELECTION





H-V SERIES

Owners can enjoy a personalized hot tub experience, with multi different shell and

OZONE AND U COMBO PURIFICATION SYSTEM 0000 -COLORS TO CHOOSE FROM, QUALITY BLUETOOTH AUDIO SYSTEM WITH BRINGS YOU DIFFERENT VISUAL **POP-UP SPEAKER** ENJOYMENT

H-V01



Shell col Shell m

Jet pum

Contro

Under

Jets tot Hydrot

Seating Capacity:

Seating: 2 lounges & 3 seat



S	hell
olors	7 colors for options
aterial	US Aristech Acrylic
Pumps(UL,C	, KC approved)
np	2*4HP (WP400-I)
tion Pump	1*0.35HP (WTC50)
Elec	trics
l system	Balboa BP6013 G3

+TP700+3kw heater	
220V/380V/110V 1pcs	

Jet Configurations

tal (pc)	103pcs
therapy Jets(2")	99pcs
therapy Jets(3.5")	3pcs
therapy Jets(5")	1pcs



Dimensions			
Product dimension	2300*2300*880mm		
Dry weight	350 kg		
Filled weight(with water)) 2190kg		
Fea	tures		
Suction	5pcs		
Drainage outlet	lpcs		
Headrest pillows(pc)	3pcs		
Support frame	Aluminium(40mm*20mm		
Skirt	PS+Acrylic Corner		
Base	ABS		
Filtr	ation		
Filter	1pcs ;1*50sf		
UV sterilizer	lpcs		

H-V02 Seating Capacity:

Seating: 2 lounges & 3 seat



Co



Shell		Dimensions		
nell colors	7 colors for options	Product dimension	2300*2300*880mm	
nell material	US Aristech Acrylic	Dry weight	350kg	
Pumps(UL,CE	, KC approved)	Filled weight(with water)	2190kg	
t pump 2*4HP (WP400-I)		Feat	Features	
irculation Pump	1*0.35HP (WTC100)	Suction	5pcs	
Elect	rics	Drainage outlet	1pcs	
ontrol system	Balboa BP6013 G3 + TP700 + 3kw heater	Headrest pillows(pc)	3pcs	
ower supply	220V/380V/110V	Support frame	Aluminium(40mm*20mm	
nderwater lighting	1pcs	Skirt	PS+Acrylic Corner	
Jet Config	urations	Base	ABS	
	89pcs	Air valve	3pcs	
ts total (pc)	10000	Shell insulation	2cm	
ydrotherapy Jets(2")	85pcs	Top mount filter	1pcs	
ydrotherapy Jets(3.5")	3pcs			
ydrotherapy Jets(5")	lpcs	Filtra	tion	
		AND SHOULD BE AN		

UV sterilizer

H-V03 Seating Capacity: Seating: 1 lounges & 5 seat





nell
7 colors for options
US Aristech Acrylic
, KC approved)
2*3HP (LP300)
1*0.35HP (WTC50)
trics
Balboa BP6013 G2 +TP700+3kw heater
220V/380V/110V
lpcs
igurations
67pcs
49pcs
16pcs

Dimer	nsions
Product dimension	2200*2200*880mm
Dry weight	340 kg
filled weight(with water)	2150kg
Feat	tures
Suction	5pcs
Drainage outlet	1pcs
Headrest pillows(pc)	3pcs
Support frame	Aluminium(40mm*20mm)
škirt	PS+Acrylic Corner
Base	ABS
Filtra	ation
Filter	1pcs ;1*50sf
JV sterilizer	1pcs

H-V04 Seating Capacity: Seating: 2 lounges & 3 seat





She	ell	Dimen	sions
Shell colors	7 colors for options	Product dimension	2100*2100*880
Shell material	US Aristech Acrylic	Dry weight	340kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	1850kg
Jet pump	2*3HP (LP300)	Feat	ures
Circulation Pump	1*0.35HP (WTC50)	Suction	5pcs
Elect	rics	Drainage outlet	lpcs
Control system	Balboa BP6013 G2 + TP700 + 3kw heater	Headrest pillows(pc)	3pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*2
Underwater lighting	1pcs	Skirt	PS+Acrylic Cor
Jet Config	urations	Base	ABS
Jets total (pc)		Air valve	3pcs
	53pcs	Shell insulation	2 cm
Hydrotherapy Jets(2")	36pcs	Top mount filter	lpcs
Hydrotherapy Jets(3.5")	12pcs		
Hydrotherapy Jets(5")	5pcs	Filtra	tion
		UV sterilizer	lpcs

0mm
*20mm)
orner

H-V05

Seating Capacity: Seating: 1 lounges & 6 seats



S	hell	
Shell colors	7 colors for options	
Shell material	US Aristech Acrylic	
Pumps(UL,	CE, KC approved)	
Jet pump	2*3HP (LP300)	
Circulation Pump	1*0.35HP (WTC50)	
Elec	trics	
Control system	Balboa BP6013 G2 +TP700+3kw heater	
Power supply	220V/380V/110V	
Underwater lighting	1pcs	
Jet Conf	igurations	
Jets total (pc)	51pcs	
Hydrotherapy Jets(2")	38pcs	
Hydrotherapy Jets(3.5")	9pcs	
Hydrotherapy Jets(5")	4pcs	



	Dime	nsions
ons	Product dimension	2100*2100*880mm
lic	Dry weight	340 kg
	Filled weight(with water)	1850kg
)	Feat	tures
50)	Suction	5pcs
	Drainage outlet	lpcs
52 ster	Headrest pillows(pc)	4pcs
V	Support frame	Aluminium(40mm*20mn
	Skirt	PS+Acrylic Corner
	Base	ABS
	Filtra	ation
	Filter	1pcs ;1*50sf
	UV sterilizer	lpcs

H-V06 Seating Capacity: Seating: 1 lounges & 5 seats






Shell		Dimensions	
Shell colors	7 colors for options	Product dimension	2000*2000*880mm
Shell material	US Aristech Acrylic	Dry weight	340kg
Pumps(UL,CE,	KC approved)	Filled weight(with water)	1600kg
Jet pump	2*3HP (LP300)	Features	
Circulation Pump	1*0.35HP (WTC50)	Suction	5pcs
Electrics		Drainage outlet	lpcs
Control system	Balboa BP6013 G2 + TP700 + 3kw heater	Headrest pillows(pc)	3pcs
Power supply	220V/380V/110V	Support frame	Aluminium(40mm*20mm)
Underwater lighting	1pcs	Skirt	PS+Acrylic Corner
Jet Configurations		Base	ABS
Jets total (pc)	40pcs	Air valve	3pcs
Hydrotherapy Jets(2")	18pcs	Shell insulation	2 cm
Hydrotherapy Jets(3.5")	20pcs	Filtr	ation
Hydrotherapy Jets(5")	2pcs	Filter	1pcs;1*50sf
		UV sterilizer	1pcs

SHELL



6427 Silver White Marble

CABINET



MULTIPLE COLOR SELECTION



SWIN SPAS

O

WIM SPA DESIGN COMBINES A SWIM CURRENT WITH

DURABLE, SYNT WOOD CABINE HS6801 Seating Capacity:



Seating: 3 seats







SI	nell
Shell colors	3 colors for options
Shell material	US Aristech Acrylic
Pumps _{(UL}	CE, KC approved)
Jet pump	3*3HP (LP300)
Circulation Pump 1*0.35HP (WTC	
Elec	trics
Control system	Balboa BP6013 G3 +TP600+3kw heate
Power supply	220V/380V/110V
Underwater lighting	1pcs

Jet Configurations		
Jets total (pc)	47pcs	
Hydrotherapy Jets(1'')	8pcs	
Hydrotherapy Jets(2")	8pcs	
Hydrotherapy Jets(2.5'')	22pcs	
Hydrotherapy Jets(3")	2pcs	
Hydrotherapy Jets(4")	4pcs	
Hydrotherapy Jets(7")	3pcs	

Dimensions			
Product dimension	3900*2280*1350mm		
Dry weight	1050kg		
Filled weight(with water)	5750kg		
Features			
Suction	6pcs		
Drainage outlet	1pcs		
Support frame	Galvanized steel		
Skirt	PS(optional colors)		
Base	Fiberglass		
Shell insulation	2cm		
Filtration			
Filter	2pcs ;2*100sf		
UV sterilizer	1pcs		


Sh	ell	Dimensi	ons
Shell colors	3 colors for options	Product dimension	5000*2280*1350mm
Shell material	US Aristech Acrylic	Dry weight	1360kg
Pumps(UL,CE, KC approved)		Filled weight(with water)	7460kg
Jet pump	3*3HP (LP300)	Features	
Circulation Pump	1*0.35HP (WTC50)	Suction	6pcs
Elect	trics	Drainage outlet	lpcs
Control system	Balboa BP6013 G3 +TP600+3kw heater	Support frame	Galvanized steel
Power supply	220V/380V/110V	Skirt	PS(optional colors)
Underwater lighting	lpcs	Base	Fiberglass
Jet Configurations		Filtratio	n
Jets total (pc)	45pcs	Filter	2pcs ;2*100sf
		UV sterilizer	lpcs



Seating: 3 seats

Jets total (pc)

HS7801 Seating Capacity:









Shell



Dimensions

Sh	ell	Dime	ensions
Shell colors	3 colors for options	Product dimension	5800
Shell material	US Aristech Acrylic	Dry weight	
Pumps	E, KC approved)	Filled weight(with water)
Jet pump 3*3HP (LP300)		Fea	atures
Circulation Pump	1*0.35HP (WTC50)	Suction	
Elect	rics	Drainage outlet	
Control system	Balboa BP6013 G3 +TP600+3kw heater	Support frame	Gal
Power supply	220V/380V/110V	Skirt	PS(c
Underwater lighting	1pcs	Base	
Jet Config	jurations	Diverter valve	

45pcs

UV sterilizer

Product dimension	5800*2280*1620mm			
Dry weight	1860kg			
Filled weight(with water)	10160kg			
Features				
Suction	6pcs			
Drainage outlet	1pcs			
Support frame	Galvanized steel			
Skirt	PS(optional colors)			
Base	Fiberglass			
Diverter valve	4pcs			
Shell insulation	2 cm			
Headrest pillows(pc)	2pcs			
Filtration				

2pcs ;2*100sf

1pcs

Shell colors	3 colors for options	Product dimension
Shell material	US Aristech Acrylic	Dry weight
Pumpsou	CE, KC approved)	Filled weight(with
Jet pump	4*3HP (LP300)	
Circulation Pump	2*0.35HP (WTC50)	Suction
Elec	Electrics	
Control system	Balboa BP 200G2/200G3 +TP600+3kw heater	Support frame
Power supply	220V-240V/380V	Skirt
Underwater lighting	1pcs	Base
Jet Confi	gurations	Shell insulation
Jets total (pc) 61pcs		Headrest pillows(
	61pcs	Diverter valve
		LED master lights

Diffensions			
Product dimension	5800*2200*1550mm		
Dry weight	1720kg		
Filled weight(with water)	9720kg		
Features			
Suction	8pcs		
Drainage outlet	2pcs		
Support frame	Galvanized steel		
Skirt	PS(optional colors)		
Base	Fiberglass		
Shell insulation	2 cm		
Headrest pillows(pc)	5pcs		
Diverter valve	8pcs		
LED master lights	2pcs		
Filtration			
Filter	2pcs		
UV sterilizer	lpcs		
	- * 231/34		

HS7808

Seating Capacity: Seating: 1 lounger & 6 seats

HS7809 Seating Capacity: Seating: 2 lounges & 3 seats





She	41		
Shell colors	3 colors for options	Ρ	
Shell material	US Aristech Acrylic	D	
Pumps(UL,CE	, KC approved)	Fi	
Jet pump	5*3HP (LP300)		
Circulation Pump	2*0.35HP (WTC50)	S	
Elect	rics	D	
Control system	Balboa BP200G3 +TP600+3kw heater	S	
Power supply	220V/380V/110V	S	
Underwater lighting	2pcs	В	
Jet Config	Jet Configurations		
Jets total (pc)	95+3(swim jets)	D	
Hydrotherapy Jets(1')	50pcs		
Hydrotherapy Jets(2.5")	14pcs	Fi	
Hydrotherapy Jets(3")	2pcs	U	

10pcs

19pcs

3pcs

Hydrotherapy Jets(4")

Hydrotherapy Jets(5")

Hydrotherapy Jets(7")

Dimensions			
Product dimension	5800*2240*1350mm		
Dry weight	1530kg		
Filled weight(with water)	8430kg		
Featu	res		
Suction	10pcs		
Drainage outlet	lpcs		
Support frame	Galvanized steel		
Skirt	PS(optional colors)		
Base	Fiberglass		
Shell insulation	2 cm		
Diverter valve	3pcs		
Filtrati	ion		
Filter	2pcs;2*100sf		
UV sterilizer	lpcs		

1.000 T	年度		-	1	- 03
	Contraction of the second				
	7.			2	1.)_
		1		1	the serve



Shell		Dimensions		
Shell colors	3 colors for options	Product dimension	5800*2280*1400mm	
Shell material	US Aristech Acrylic	Dry weight	1680kg	
Pumps(UL,CE, KC approved)		Filled weight(with water)	7800kg	
Jet pump	3*3HP (LP300)	Features		
Circulation Pump	1*1HP (WTC50)	Suction		
Elect	rics	Drainage outlet		
Control system	Balboa BP6013 G3 +TP600+3kw heater	Support frame	Galvanized steel	
Power supply	220V/380V/110V	Skirt	брсs PS(optional colors)	
Underwater lighting	lpcs	Base	1pcs Fiberglass	
Jet Config	urations	Air Valve		
Jets total (pc)	71pcs	Headrest		
	7400	Filtrat		
		UV sterilizer	2pcs	

1pcs

HS7860 Seating Capacity: Seating: 1 lounges & 4 seat





Dimension

Sh	ell	
Shell colors	2 colors for options	Product d
Shell material	US Aristech Acrylic	Dry weigh
Pumps(UL,CE,	KC approved)	Filled weig
Jet pump	2*1HP (WTC100)	
Circulation Pump	4*3HP (LP300)	Suction
Elect	rics	Drainage
Control system	Balboa BP6013G3+ TP600+3kw heater	Headrest
Power supply	220V/380V/110V	Support fr
Underwater lighting	1pcs	Skirt
Jet Config	gurations	Base
Jets total (pc)	58pcs	

Hydrotherapy Jets

Swim jets

Dimen	isions
roduct dimension	5800*2280*1450mm
Dry weight	1720kg
illed weight(with water)	9720kg
Feat	ures
uction	6pcs
Drainage outlet	2pcs
leadrest pillows(pc)	3pcs
Support frame	Galvanized steel
kirt	PS(optional colors)
lase	PVC
Filtra	tion
ilter	3pcs
IV sterilizer	Ince

HS7861	
Seating Capacity: 冶	222
Seating: 3 seats	





Sh	ell				
Shell colors	2 colors for options	Product dimens	Dimension	\$ 00*2280*1400mm	
Shell material	US Aristech Acrylic	Dry weight		1200kg	
Pumps(UL,CE, KC approved)		Filled weight(with water)		5900kg	
Jet pump	1*1HP (WTC50)				
Circulation Pump	2*3HP (LP300)	Suction	Features	2pcs	
Electrics		Drainage outlet		1pcs	
Control system	Balboa BP6013 G3 + TP600 + 3kw heater	Support frame		Galvanized steel	
Power supply	220V/380V/110V	Skirt		PS(optional colors)	
Underwater lighting	1pcs	Base		PVC	
Jet Config	jurations	Shell insulation		2 cm	
Jets total (pc)	7pcs				
Swim jets	3pcs	Filter	Filtration	2pcs	
Hydrotherapy Jets(5")	2pcs	UV sterilizer		lpcs	

HSPA Spa with an ergonomic interior and stylish exterior, each hot tub is built with durability, efficiency and longevity in mind.







